

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – PR & RD Department – Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada who relieved Sri A. Subba Rao, In-charge Executive Engineer, PRI, Rajahmundry – Departmental proceedings under Rule 20 of A.P. Civil Services (Classification, Control & Appeal) Rules 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (Estt.I.2) DEPARTMENT

G.O.Rt.No.1677

Dated:10.09.2012.

Read the following:-

1. Govt. Memo.No.15382/E.I.2/2011-3, dt:02.4.2012
2. From the ENC., PR, Lr.No.G-3/5407/2012, dated:07.7.2012

ORDER:

It is proposed to hold an enquiry against V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada in accordance with the procedure laid down in Rule 20 of the A.P. Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I, II & III). A list of witnesses by whom and a list of documents by which the article of charges are proposed to be sustained are enclosed (Annexure-III).

3. Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada is directed to submit written statement of his defence within (10) days of the receipt of this Order.

4. Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada is informed that an enquiry will be held only in respect of those article of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada is further informed that, if he does not submit his written statement of defence on or before the date specified in para-3 above, further action will be processed based on the material available.

6. Attention of Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of Andhra Pradesh Civil Services (Conduct) Rules, 1964.

(P.T.O)

//2//

7. The receipt of the G.O. shall be acknowledged forthwith.

(BY ORDER AND IN THE NAME OF THE GOVERNMENT OF ANDHRA PRADESH)

C.R. BISWAL

PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To

V. Kailashnath, in-charge Superintending Engineer,
PR, Kakinada through the Engineer-in-Chief (PR) Hyderabad.

The Engineer-in-Chief (Panchayat Raj) Hyderabad.

(in duplicate with a request to serve and return the
acknowledged copy)

SF/SCs.

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE – I

STATEMENT SHOWING THE ARTICLES OF CHARGES FRAMED AGAINST SRI V. KAILASHNATH IN-CHARGE SUPERINTENDING ENGINEER, PR, KAKINADA.

--:0:--

Charge 1:- That, Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada had failed to obtain prior permission from the competent authority and relieved Sri A. Subba Rao the then In-charge Executive Engineer PRI Rajahmundry, without any written orders either from the Government or from the Engineer-in-Chief, PR, Hyderabad.

Basis:- Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada vide his proceedings No.A1/80/2001, dt:17.5.2010 has directed Sri A. Subba Rao the then In-charge Executive Engineer, PRI, Rajahmundry to handover the charge of the post of Executive Engineer, PRI, Rajahmundry to Sri V. Selvakumar Executive Engineer, PR, Amalapuram and approach Engineer-in-Chief, PR, Hyderabad for further orders.

Sri V. Kailashnath, in-charge Superintending Engineer, PR, Kakinada without any written orders either from the Government or from the Engineer-in-Chief, PR, Hyderabad had relieved Sri A. Subba Rao the then In-charge Executive Engineer, PRI, Rajahmundry.

By act of which, he not only violated Rule 49 of FR, but also deprived the public of the services of a Executive Engineer for 9 months and 11 days and also for leaving the Government with no other option except to pay the salary to the Executive Engineer for above period without work and therefore caused imposing double jeopardy on the Government. Thus he had violated the sub rule (1) of Rule (9) of APCS (Conduct) Rules, 1964.

Hence the Charge.

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER

ANNEXURE – II

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI V. KAILASHNATH IN-CHARGE SUPERINTENDING ENGINEER, PR, KAKINADA.

1. Procs.No.A1/80/2001, dt:17.5.2010 of Superintending Engineer, PR, Kakinada.

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER

ANNEXURE – III

LIST OF WITNESSES BY WHOM THE ARTICLES OF CHARGES FRAMED AGAINST SRI V. KAILASHNATH IN-CHARGE SUPERINTENDING ENGINEER, PR, KAKINADA.

- NIL -

C.R. BISWAL
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

SECTION OFFICER